AMENDMENTS TO THE CLAIMS

1-11. (Cancelled)

12. (New) An isolated phenol oxidase enzyme or isolated laccase enzyme,

wherein said enzyme catalyzes oxidation of N,N-dimethyl-para-phenylenediamine, orthoaminophenol, 2,6-dimethoxyphenol, 1,3-dihydroxynaphthol, and 4-hydroxyindole,

wherein said enzyme catalyzes polymerization of alkali extract of lignin,

wherein said enzyme optimally catalyzes the polymerization in an environment having a pH of 5.0 to 7.0, and

wherein said enzyme is selected from the group consisting of:

- (a) an enzyme of a molecular weight of 28 kDa, wherein said molecular weight is determined by SDS-PAGE, wherein said enzyme maintains at least 70% activity from pH 8.0 to pH 9.0 for 20 hours at 30 °C, wherein said enzyme exhibits activity between 30 °C and 50 °C, wherein said enzyme maintains at least 80 % activity at 0° to 30°C for 1 hour at a pH of 7.0, wherein said enzyme maintains at least 90 % at 0 to 30°C for 1 hour at a pH of 9.0, and wherein said enzyme has an isoelectric point of about 7.4;
- (b) an enzyme of a molecular weight of 35 kDa, wherein said molecular weight is determined by SDS-PAGE, wherein said enzyme maintains at least 75% activity from pH 7.0 to pH 10.0 for 20 hours at 30 °C, wherein said enzyme exhibits activity between 30 °C and 60 °C, wherein said enzyme maintains at least 90 % activity at 0° to 50°C for 1 hour at a pH of 7.0,

Docket No.: 1422-0679PUS1

wherein said enzyme maintains at least 70 % at 0 to 50°C for 1 hour at a pH of 9.0, and wherein

said enzyme has an isoelectric point of about 6.8; and

(c) an enzyme of a molecular weight of 45 kDa, wherein said molecular weight is

determined by SDS-PAGE, wherein said enzyme maintains at least 70% activity from pH 8.0 to

pH 10.0 for 20 hours at 30 °C, wherein said enzyme exhibits activity between 30 °C and 60 °C,

wherein said enzyme maintains at least 80 % activity at 0° to 30°C for 1 hour at a pH of 7.0,

wherein said enzyme maintains at least 90 % at 0 to 40°C for 1 hour at a pH of 9.0, and wherein

said enzyme has an isoelectric point of about 6.8.

13. (New) The isolated enzyme according to claim 12, wherein said isolated enzyme is

produced by a Flammulina basidiomycete.

14. (New) The isolated enzyme according to claim 13, wherein said Flammulina

basidiomycete is a Flammulina velutipes basidiomycete.

15. (New) A composition comprising the enzyme according to claim 12.

16. (New) The composition according to claim 15 further comprising a dye.

17. (New) A method of dying, wherein said method comprises:

contacting an object with a dye in the presence of one or more enzymes according to

claim 12, thereby dying the object.

Application No. 10/540,156

Amendment dated January 4, 2008

Reply to Office Action of September 4, 2007

Docket No.: 1422-0679PUS1

- 18. (New) The isolated enzyme of claim 12, wherein said enzyme is secreted in culture medium comprising fungus bodies from which the enzyme is obtained.
- 19. (New) The isolated enzyme of claim 12, wherein the enzyme is extracted from a fungus body culture bed or a waste culture bed of basidiomycete.
- 20. (New) The isolated enzyme according to claim 12, wherein said isolated enzyme is from the *Flammulina velutipes* strain IFO 30601.